



300 Winchester Magnum with 180-grain DeepCurl™

0.308"	DeepCurl
Weight, grains	180
Case	Federal®
Primer	CCI 200, CCI 250*
COAL	3.300"
Speer Part No.	2043

Propellant	START CHARGE		MAXIMUM CHARGE	
	Weight, grs	Muzzle Velocity, ft/sec	Weight, grs	Muzzle Velocity, ft/sec
Reloder 25*	77.0	2904	81.0C	3078
N560*	72.0	2876	76.0	3038
IMR 7828*	74.0	2852	78.0C	3019
Reloder 22	72.0	2859	76.0	3011
H1000*	78.0	2847	82.0C	3001
AA 4350*	67.0	2819	71.0	2986
H4831SC*	69.0	2837	73.0	2981
Hunter*	68.0	2838	72.0	2965
760*	63.0	2795	67.0	2927

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current Speer® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As ATK has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum Loads should be used with CAUTION • C = Compressed Load • *Magnum Primer used with this powder.*