



(SAAMI)

7mm Mauser

with 160-grain DeepCurl™

0.284"	DeepCurl
Weight, grains	160
Case	Federal®
Primer	Fed 210, Fed 215*
COAL	2.940"
Speer Part No.	1639

Propellant	START CHARGE		MAXIMUM CHARGE	
	Weight, grs	Muzzle Velocity, ft/sec	Weight, grs	Muzzle Velocity, ft/sec
Reloder® 17	40.0	2336	44.0	2567
Hunter*	41.0	2319	45.0	2508
Reloder® 22	45.0	2289	49.0C	2499
3100	42.0	2256	46.0C	2487
IMR 4831	41.0	2253	45.0	2487
Reloder® 19	44.0	2283	48.0C	2485
IMR 4350	40.0	2246	44.0	2482
H414*	38.0	2189	42.0	2480
H4831SC	44.0	2288	48.0C	2472
H4350	39.0	2274	43.0	2465

WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current Speer® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As ATK has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

*Maximum Loads should be used with CAUTION • C = Compressed Load • *Magnum Primer used with this powder.*