



30-06 Springfield

with 180-grain DeepCurl™ Soft Point

LABNOTES


The 180-grain Speer® DeepCurl™ is a great multi-purpose bullet for the 30-06. It can be driven fast enough for longer shots on large deer and elk, and doubles as a fine deep-woods bullet. For the latter use, it need not be loaded to maximum velocity. Several starting loads we show in the data table are in the 2400-2500 feet per second range and would be excellent for hunting in deep cover where the shots are under 150 yards.

However you load it, the bonded DeepCurl has the terminal performance to put game in your freezer.



0.308"	DeepCurl SP
Weight, grains	180
Ballistic Coefficient	0.483
Sectional Density	0.271
COAL Tested:	3.180"
Speer Part No.	2043

Propellant Make	Propellant Type	START CHARGE		MAXIMUM CHARGE	
		Weight, grs	Muzzle Velocity, ft/sec	Weight, grs	Muzzle Velocity, ft/sec
Alliant®	Reloder® 19	55.0	2550	59.0C	2735
Alliant®	Reloder® 17	50.0	2481	54.0	2721
Ramshot	Hunter*	53.0	2580	57.0C	2716
IMR	IMR 4350	51.0	2506	55.0C	2682
IMR	IMR 4831	52.0	2492	56.0C	2681
Accurate	3100	53.0	2474	57.0C	2680
Hodgdon	H414*	50.0	2543	52.0	2648
Accurate	4350	52.0	2480	56.0C	2644
Alliant®	Reloder® 22	55.0	2491	59.0C	2637
Hodgdon	H4831SC	55.0	2485	59.0C	2628



WARNING: Improper handloading practices can result in serious personal injury and/or property damage. Refer to the current Speer® Reloading Manual for handloading instructions. Be thoroughly familiar with those instructions before using these loads. As ATK has no control over individual handloading practices or the condition of firearms in which the resulting ammo may be used, we disclaim all liability for any damages that may result from the use of this information.

Speer, Federal, RCBS, Alliant, and Reloder are registered trademarks of ATK, Inc and its subsidiary companies.

Max. Case Length:	2.494"	Cart. Case:	Federal®
Trim-to Length:	2.484"	Primer:	Fed 210; 215*
Max Cart. OAL:	3.340"	Test Firearm:	Universal Receiver
RCBS® Shell Holder:	#3	Barrel Length:	24"

Maximum Loads should be used with CAUTION • C = Compressed Load • * Magnum Primer used with this powder.